



21G7362

REQD	ITEM	PART NUMBER	DESCRIPTION
A/R	1	-	CERAMIC, ALUMINA, 99.9% AL2O3



				UNLESS OTHERWISE SPECIFIED	SHOP ORDERS		<b>LAWRENCE BERKELEY LABORATORY</b>				
				TOLERANCE .X ± .1 .XX ± .01 .XXX ± .005	ACCT NO	SER NO	UNIVERSITY OF CALIFORNIA-BERKELEY				
				SURFACE FINISH 125 ✓	DATE ISSD	DATE REQD	NO REQD	SNS-FES ION SOURCE AND LEBT			
				1. SAWED, FLAMECUT, SHEARED OR CUT STOCK FINISH. 2. THREADS CLASS 2. 3. CHAMFER ENDS OF ALL SCREW THRDS 30°. 4. 1 1/2 PITCH RELIEF WITH ROUND NOSE TOOL ON ALL MACHINE CUT THRDS. 5. BREAK EDGES 1/64 MAX. ON MACHINE WORK. 6. REMOVE BURRS, LOOSE SCALE AND WELD SPLATTER. 7. REF. -USAS1 OR ASA STDS SECT Y-14 & B46-1.	DELIVER TO		MECHANICAL SYSTEMS				
					SURFACE TREATMENT		CERAMIC STANDOFF KEY, ROUND				
					IDENTIFIC METHOD TAG		PAT CLEAR	DWG TYPE	SHOWN ON	SCALE: 1:2	
					DWG BY D. CHENG	DATE 6-1-99	MICROFILMED	DESIGN ACCT NO	CATEGORY CODE	DWG NO	REV
REV	DWN	CHK	DATE		DESCRIPTION	CHK BY	DATE	8210-14	FE3111	21G7362	