



NOTES (UNLESS OTHERWISE SPECIFIED):

1) DIMENSIONS IN MILLIMETERS/INCHES.

2) AXES SHOWN ARE ATLAS DETECTOR AXIS SYSTEM. TERMS "RIGHT" AND "LEFT" REFER TO OBSERVER VIEWING OUTWARD FROM CENTER OF RING.

ITEM	REQD	PART NUMBER	DESCRIPTION



PAL2224

UNLESS OTHERWISE SPECIFIED		SHOP ORDERS		LAWRENCE BERKELEY NATIONAL LABORATORY			
TOLERANCES	X ± .1	FRAC. ± 1/64	ACCT. NO.	SERIAL NO.	UNIVERSITY OF CALIFORNIA-BERKELEY		
	XX ± .01	ANGLES ± 0.5°	DATE ISSD	DATE RECD.	ATLAS		
	.XXX ± .005	FINISH 125	DELIVER TO	NO. RECD.	SPACE FRAME		
	THREADS ARE CLASS 2		SURFACE TREATMENT CLEAN		ENVELOPE, STIFFENER, INTERNAL, LEFT		
	CHAMFER ENDS OF ALL SCREW THREADS 30°		TAG		PATENT CLEAR	DWG. TYPE	SHOWN ON
	CUT 1.5 PITCH THRO RELIEF WITH ROUND NOSE TOOL ON MACHINE CUT THREADS.				DETAIL	SCALE	HALF
	BREAK EDGES .016 MAX. ON MACHINED WORK		DWG. BY: PAL	DATE: 10-15-99	MICROFILMED	DESIGN ACCT. NO.	DWG. NO.
	REMOVE BURRS WELD SPLATTER & LOOSE SCALE		CHK BY: PAL	DATE: 10-15-99	7916-27	CATEGORY CODE	SIZE
	REF: ASME Y14.5M & ANSI B46.1.						REV.
0	PL	PL	RENUMBERED FROM PAL2204		PAL2224		
REV	DWG	CHK	ZONE	DATE	CHANGES		